Basics		Cmd-Q	Quit XMLmind XML Editor.
release-1	Move caret.	Select	
drag-1	Select text.	○ TI I	
Alt-drag-1	Inside the selection, drag the selection. Outside the selection, select the element clicked upon then drag it.		ent containing the caret is said to be <i>implicitly selected</i> . Most commands ther an element has been implicitly or explicitly selected.
Shift-click-1	Extend node selection if any, text selection otherwise.	Cmd-click-1	Select the node clicked upon. Repeating this action without moving the mouse
double-click-1	Select word.	Oma onor 1	selects its parent, then its grand-parent, etc.
triple-click-1	Select all the characters of the text node.	Cmd-UP	Select parent.
Ctrl-press-1	Show the <b>Edit</b> popup menu.	Cmd-DOWN	Select child.
Drop	If the data being dropped is an URL or an absolute filename, then open the	Cmd+Shift-UP	Select preceding sibling.
	corresponding document. Otherwise, unless the drop target implements a	Cmd+Shift-DOWN	Select following sibling.
	specific behavior (e.g. an external link element), display a popup menu allowing	ESCAPE LEFT	Extend selection to preceding sibling.
	to copy or move the data being dropped.	ESCAPE RIGHT	Extend selection to following sibling.
RIGHT	Move caret to following character.	ESCAPE DOWN	Select all children.
LEFT	Move caret to preceding character.	ESCAPE ESCAPE	Cancel selection.
DOWN	Move caret to following line.	Alt-LEFT	Go back in the navigation history.
UP	Move caret to preceding line.	Alt-RIGHT	Go forward in the navigation history.
END	Move caret to end of line.	T-124	
HOME	Move caret to beginning of line.	Edit	
Cmd-RIGHT	Move caret to following word.	click-2 ***	Move caret to the location clicked upon, then paste last selected <i>characters</i>
Cmd-LEFT	Move caret to preceding word.	OHOR Z AAA	before caret position. Corresponding option must have been turned on.
TAB ***	Move caret to proceeding text node.	Cmd-Z	Undo last change.
Shift-TAB Shift-RIGHT	Move caret to preceding text node.  Extend text selection to following character.	Cmd-Y	Undo last undo (redo).
Shift-LEFT	Extend text selection to preceding character.	Cmd-A ☆☆☆	Repeat last repeatable command.
Shift-DOWN	Extend text selection to following line.	Cmd+Shift-A	Show command history. Allows to select and repeat a command.
Shift-UP	Extend text selection to preceding line.	Cmd-X	Cut selected text or nodes.
Shift-END	Extend text selection to end of line.	Cmd-C	Copy selected text or nodes.
Shift-HOME	Extend text selection to beginning of line.	Cmd+Shift-P ★★★	Copy explicit text or node selection as plain text.
Cmd+Shift-RIGHT	Extend text selection to following word.	Cmd-U	Paste before selected nodes.
Cmd+Shift-LEFT	Extend text selection to preceding word.	Cmd-V	Paste replacing selected nodes if any. Otherwise paste at caret position.
Ctrl-TAB	Insert a tab character if the element preserves space characters. Otherwise,	Cmd-W	Paste after selected nodes.
	no effect.	Cmd-K	Delete selected text or nodes.
ENTER	Insert a newline character if the element preserves space characters. Otherwise,	Cmd-R	Replace selected nodes by an element or a text node.
	no effect.	Cmd-B	Insert an element or a text node before selected nodes.
Ctrl-SPACE ★☆☆	Insert non-breaking space.	Cmd-I	Insert an element or a text node at caret position.
DELETE	Delete selection if any, character following caret otherwise.	Cmd-J	Insert an element or a text node after selected nodes.
BACK_SPACE	Delete selection if any, character preceding caret otherwise.	F1 🗫	Insert a text node after selected nodes.
Cmd-DELETE	Delete selection if any, word following caret otherwise.	Shift-F1	Insert a text node before selected nodes.
Cmd-BACK_SPACE	Delete selection if any, word preceding caret otherwise.	Cmd-F1	Insert same element after selected element.
File		Cmd+Shift-F1	Insert same element before selected element.
FIIC		ESCAPE i Cmd-T	Switches from insert mode to overwrite mode and the other way around.  Convert selected text or nodes to another element or to plain text.
Cmd-N	New document.	Cma-1 Cmd+Shift-T	Wrap selected text or nodes into a new parent element.
Cmd-O	Open document.	ESCAPE 1	Converts selected text to lower case. If no text is selected, operates on word
Cmd+Shift-O ☆☆☆	Open folder containing last opened document.	LOUAFE I	containing caret.
Cmd-S	Save document.	ESCAPE u	Converts selected text to upper case.
Cmd-P	Print document.		

Changes the first letter of all words found in selected text to upper case.	Tob		
Inserts at caret position a <i>character</i> specified using its entity name (e.g. mdash).			
Modular documents  Cmd+Shift-C Copy a reference to selected elements. (After that, you can paste this reference		Close current document tab. Switch to preceding document tab. Switch to following document tab.	
elsewhere to build a modular document.) Using the <b>Include</b> tool, insert an element reference at caret position. Switch to window containing referencing document (the modular document),	Help		
	If an XHTML document is opened		
Switch to window containing referenced document (the module). Open this document if needed to.	Shift-ENTER F5	Insert a br element at caret position.  Preview the document being edited in the Web browser.	
Search		If a DocBook 5+ document or an assembly is opened	
Search text using the "Search" tool. Search text backwards. Search/replace text.	Cmd+Alt-C	Copies to the clipboard a reference to the selected nodes. Useful when the reference is intended to be pasted to <i>several different locations</i> in the same document.	
Repeat previous search.	If an XHTML, DocBook document or a DITA topic is opened		
Repeat previous search backwards. Search text. Mainly useful when recording macros. Find element. Find element backwards. Find and replace element. Find and replace element backwards. Find next element. Find previous element. Replace next element. Replace previous element. Select nodes by evaluating an XPath expression returning a nodeset. Mainly	Cmd+Alt-click-1 Alt-drag-1	Follow link clicked upon. Inside an external link, drag its target URL. Inside an image, drag its source URL.	
	Drop ENTER	Onto an image, change its source. Onto an external link, change its target. Insert a newline character if possible. Otherwise, if caret is at the beginning of a paragraph, list item or a few other kinds of block, insert same block before. Otherwise, if caret is at the end of a block, insert same block after. Otherwise, split block.	
	DELETE	Delete selection if any. Otherwise, if caret is at the end of a paragraph, list item or a few other kinds of block, join with following block. Otherwise, delete character following caret.	
useful when recording macros.	BACK_SPACE	Delete selection if any. Otherwise, if caret is at the beginning of a paragraph, list item or a few other kinds of block, join with preceding block. Otherwise, delete character preceding caret.	
Rebuild document view (deep redraw). Center selection on screen.	Cmd-ENTER	Add same block after the paragraph, list item or a few other kinds of block which is the ancestor of selected node.	
Changes the size of the text in the document view.	Cmd+Shift-ENTER	Add same block before the paragraph, list item or a few other kinds of block which is the ancestor of selected node.	
	Alt+Shift-LEFT	Convert a paragraph to a list item and a list item to a paragraph, the new ele-	
Edit the attributes of selected element. Check document validity. Open element or attribute content in helper application. Edit document in helper application. Start/stop recording of macro. Cancel recording of macro. Execute (replay) recorded macro.	Alt+Shift-RIGHT  Alt+Shift-UP Alt+Shift-DOWN	ment having a lesser nesting level than the original one.  Convert a paragraph to a list item and a list item to a paragraph, the new element having a greater nesting level than the original one.  Swap explicitly selected node with its preceding sibling (move up).  Swap explicitly selected node with its following sibling (move down).	
	Copy a reference to selected elements. (After that, you can paste this reference elsewhere to build a modular document.) Using the Include tool, insert an element reference at caret position. Switch to window containing referencing document (the modular document), if any. Switch to window containing referenced document (the module). Open this document if needed to.  Search text using the "Search" tool. Search text backwards. Search/replace text. Search/replace text. Search/replace text. Search/replace text. Search text. Mainly useful when recording macros. Find element. Find element backwards. Find and replace element. Find and replace element. Find and replace element. Replace next element. Replace previous element. Select nodes by evaluating an XPath expression returning a nodeset. Mainly useful when recording macros.  Rebuild document view (deep redraw). Center selection on screen. Changes the size of the text in the document view.  Edit the attributes of selected element. Check document validity. Open element or attribute content in helper application. Edit document in helper application. Start/stop recording of macro. Cancel recording of macro.	Inserts at caret position a <i>character</i> specified using its entity name (e.g. mdash).  Ints  Copy a reference to selected elements. (After that, you can paste this reference elsewhere to build a modular document.)  Using the Include tool, insert an element reference at caret position.  Switch to window containing referencing document (the modular document), if any.  Switch to window containing referenced document (the module). Open this document if needed to.  If a DocBook 5+1  Search text using the "Search" tool.  Search text backwards.  Search/replace text backwards.  Search/replace text backwards.  Repeat previous search.  Repeat previous search backwards.  Search text. Mainly useful when recording macros.  Find element.  Find element backwards.  Find and replace element backwards.  Find and replace element.  Find previous element.  Find previous element.  Select nodes by evaluating an XPath expression returning a nodeset. Mainly useful when recording macros.  Rebuild document view (deep redraw).  Center selection on screen.  Changes the size of the text in the document view.  Cmd+Shift-EFT  Edit the attributes of selected element.  Check document validity.  Open element or attribute content in helper application.  Start/stop recording of macro.  Execute (replay) recorded macro.	